ELSEVIER

Neuroscience Letters 309 (2001) 210–213

Neuroscience Letters

www.elsevier.com/locate/neulet

Author Index to Volume 309

Abood, M.E., Rizvi, G., Sallapudi, N., McAllister, S.D., Activation of the CB_1 cannabinoid receptor protects cultured mouse spinal neurons against excitotoxicity, 197
Aguilar, J.S., see Oaknin, S., 177
Ahn, H., see Park, C., 9
Aida, K., see Mizusawa, K., 72
Ajioka, H., see Nozawa, Y., 33
Aldenhoff, J., see Strenge, H., 105
Alexandre, A., see Zoccarato, F., 181
Aloe, L., see Fiore, M., 113
Alvarez, C.E., see Thomas, E.A., 145
Amendola, T., see Fiore, M., 113
Amino, Y., Kyuhou, S.-i., Matsuzaki, R., Gemba, H., Cerebello–thalamo–cortical projections to the posterior parietal cortex in the macaque monkey, 29
Antonelli, A., see Fiore, M., 113
Arias, B., see Gutiérrez, B., 135

Bhojak, T.J., DeKosky, S.T., Ganguli, M., Kamboh, M.I., Genetic polymorphism in the cathepsin G gene and the risk of Alzheimer's disease, 138
Blandini, F., see Conti, G., 161
Bramwell, S., see Shah, B.S., 1

Cabo, R., see San Jose, I., 81
Canu, M.H., see Dupont, E., 121
Carpenter, D.O., see Strominger, N.L., 77
Cavallini, L., see Zoccarato, F., 181
Cha, C.I., see Shin, C.M., 53
Chai, C.-Y., see Wang, M.-R., 57
Chang, Y.-C., see Wen, Z.-H., 25
Cheng, T.-J., see Wen, Z.-H., 25
Chou, A.-K., see Wen, Z.-H., 25
Chung, J.-H., see Park, C., 9
Chung, Y.H., see Shin, C.M., 53
Clint, S.C., see Zupanc, G.K.H, 149
Contestabile, A., see Virgili, M., 62
Conti, G., Blandini, F., Tassorelli, C., Giubilei, F., Fornai, F., Zocchi, A., Orzi, F., Intrastriatal injection of D_1 or D_2 dopamine agonists affects glucose utilization in both the direct and indirect pathways of the rat basal ganglia, 161
Cook, C.M., see Thomas, A.W., 17
Correia-de-Sá, P., Timóteo, M.A., Ribeiro, J.A., Synergism between A_{2A}-adenosine receptor activation and vasoactive intestinal peptide to facilitate [^{3}H]-acetylcholine release from the rat motor nerve terminals, 101

Dalton, C.F., see Reynolds, L.M., 193
DeKosky, S.T., see Bhojak, T.J., 138
Dixon, A.K., see Shah, B.S., 1
Dolan, S., Nolan, A.M., Biphasic modulation of nociceptive processing by the cyclic AMP-protein kinase A signalling pathway in sheep spinal cord, 157
Drost, D.J., see Thomas, A.W., 17
Dupont, E., Canu, M.H., Langlet, C., Falempin, M., Time course of recovery of the somatosensory map following hindpaw sensory deprivation in the rat, 121

Esteban, I., see San Jose, I., 81

Falempin, M., see Dupont, E., 121
Falkai, P., see Jessen, F., 185
Fañanás, L., see Gutiérrez, B., 135
Feng, C.-M., see Lee, T.M.C., 109
Ferriero, D., see Fujii, E., 49
Fiore, M., Aloe, L., Westenbroek, C., Amendola, T., Antonelli, A., Korf, J., Bromodeoxyuridine and methylazoxymethanol exposure during brain development affects behavior in rats: consideration for a role of nerve growth factor and brain derived neurotrophic factor, 113
Flores, A., see Manjarrez, E., 5
Folger, W.H., see Strominger, N.L., 77
Fornai, F., see Conti, G., 161
Foster, T.C., see Fugger, H.N., 207
Fox, P.T., see Lee, T.M.C., 109
Foye, P.E., see Thomas, E.A., 145
Fries, T., see Jessen, F., 185
Fritzer, G., see Strenge, H., 105
Fugger, H.N., Kumar, A., Lubahn, D.B., Korach, K.S., Foster, T.C., Examination of estradiol effects on the rapid estradiol mediated increase in hippocampal synaptic transmission in estrogen receptor α knockout mice, 207
Fujii, E., Kodama, Y., Takahashi, N., Roman, C., Ferriero, D., Gregory, G., Parer, J.T., Fructose- 1,6-bisphosphate did not affect hippocampal neuronal damage caused by 10 min of complete umbilical cord occlusion in fetal sheep, 49
Fujii, Y., see Itoh, K., 41
Funabashi, T., see Shinohara, K., 37

Ganguli, M., see Bhojak, T.J., 138
Gao, J.-H., see Lee, T.M.C., 109
García-Atares, N., see San Jose, I., 81
Gemba, H., see Amino, Y., 29
Gerber, W.-D., see Strenge, H., 105
Giubilei, F., see Conti, G., 161
Göder, R., see Strenge, H., 105
Golanov, E.V., see Wang, G., 125
Gonzalez, M.I., see Shah, B.S., 1
Gregory, G., see Fujii, E., 49
Gutiérrez, B., Arias, B., Papiol, S., Rosa, A., Fañanás, L., Association study

PII: S0304-3940(01)02158-9

between novel promoter variants at the 5-HT2C receptor gene and human patients with bipolar affective disorder, 135

Hara, Y., see Homma, T., 93
Harrison, N.L., see Kung, A.Y., 202
Hasegawa, M., see Mori, H., 89
Hayashi, M., Ito, M., Shimizu, K., The spindle neurons are present in the cingulate cortex of chimpanzee fetus, 97
Heun, R., see Jessen, F., 185
Hirai, K., see Homma, T., 93
Hoenig, K., see Jessen, F., 185
Homma, T., Hirai, K., Hara, Y., Katayama, Y., Tea catechin, (−)-epigallocatechin gallate, causes membrane depolarizations of myenteric neurons in the guinea-pig small intestine, 93
Hori, N., see Strominger, N.L., 77
Hou, J., see Lee, T.M.C., 109
Huh, Y., see Park, C., 9

Iigo, M., see Mizusawa, K., 72
Inoue, K., see Kunioku, H., 13
Ito, M., see Hayashi, M., 97
Itoh, K., Fujii, Y., Suzuki, K., Nakada, T., Asymmetry of parietal lobe activation during piano performance: a high field functional magnetic resonance imaging study, 41
Iwatsubo, T., see Mori, H., 89

Jahng, J.W., see Zhang, T.Y., 85
Jameson, H.L., Lillycrop, K.A., Nerve growth factor induces the expression of the LIM homeodomain transcription factor *Isl-1* with the kinetics of an immediate early gene in adult rat dorsal root ganglion, 130
Jessen, F., Fries, T., Kucharski, C., Nishimura, T., Hoenig, K., Maier, W., Falkai, P., Heun, R., Amplitude reduction of the mismatch negativity in first-degree relatives of patients with schizophrenia, 185

Kamal, A., see Von Frijtag, J.C., 153
Kamboh, M.I., see Bhojak, T.J., 138
Kang, M., see Park, C., 9
Kao, C.-H., see Wen, Z.-H., 25
Katayama, Y., see Homma, T., 93
Kato, T., see Yuyama, K., 169
Keller, M., Robitzki, A., Layer, P.G., Anticholinesterase treatment of chicken retinal cells increases acetylcholinesterase protein independently of protein kinase C, 21
Kim, D.G., see Zhang, T.Y., 85
Kim, H., Kim, Y.S., Kim, S.Y., Suk, K., The plant flavonoid wogonin suppresses death of activated C6 rat glial cells by inhibiting nitric oxide production, 67
Kim, M.J., see Shin, C.M., 53
Kim, S.Y., see Kim, H., 67
Kim, Y.S., see Kim, H., 67
Kimura, F., see Shinohara, K., 37
Kobayashi, T., see Mori, H., 89
Kodama, Y., see Fujii, E., 49
Konishi, S., see Murakoshi, T., 117
Korach, K.S., see Fugger, H.N., 207
Korf, J., see Fiore, M., 113
Krasts, I.V., see Vulfius, C.A., 189
Kucharski, C., see Jessen, F., 185
Kumar, A., see Fugger, H.N., 207
Kung, A.Y., Rick, C., O'Shea, S., Harrison, N.L., McGehee, D.S., Expression of glycine receptors in rat sensory neurons vs. HEK293 cells yields different functional properties, 202
Kunioku, H., Inoue, K., Tomida, M., Interleukin-6 protects rat PC12 cells from serum deprivation or chemotherapeutic agents through the phosphatidylinositol 3-kinase and STAT3 pathways, 13
Kuo, J.-S., see Wang, M.-R., 57
Kwon, Y.K., see Park, C., 9
Kyuhou, S.-i., see Amino, Y., 29

Langlet, C., see Dupont, E., 121
Layer, P.G., see Keller, M., 21
Lee, K., see Shah, B.S., 1
Lee, T.M.C., Liu, H.-L., Feng, C.-M., Hou, J., Mahankali, S., Fox, P.T., Gao, J.-H., Neural correlates of response inhibition for behavioral regulation in humans assessed by functional magnetic resonance imaging, 109
Lillycrop, K.A., see Jameson, H.L., 130
Lin, C.-R., see Wen, Z.-H., 25
Liu, H.-L., see Lee, T.M.C., 109
Lubahn, D.B., see Fugger, H.N., 207
Lukoyanov, N.V., Paula-Barbosa, M.M., Memantine, but not dizocilpine, ameliorates cognitive deficits in adult rats withdrawn from chronic ingestion of alcohol, 45

Mahankali, S., see Lee, T.M.C., 109
Maier, W., see Jessen, F., 185
Manjarrez, E., Rocha, T., Rojas-Piloni, G., Méndez, I., Flores, A., Nitric oxide modulates spontaneous cord dorsum potentials in the cat spinal cord, 5
Masuda, T., see Mizusawa, K., 72
Matsuura, N., see Nozawa, Y., 33
Matsuzaki, R., see Amino, Y., 29
McAllister, S.D., see Abood, M.E., 197
McGehee, D.S., see Kung, A.Y., 202
Méndez, I., see Manjarrez, E., 5
Mizuno, Y., see Mori, H., 89
Mizusawa, K., Iigo, M., Masuda, T., Aida, K., Inhibition of RNA synthesis differentially affects in vitro melatonin release from the pineal organs of ayu (*Plecoglossus altivelis*) and rainbow trout (*Oncorhynchus mykiss*), 72
Mori, H., Motoi, Y., Kobayashi, T., Hasegawa, M., Yamamura, A., Iwatsubo, T., Mizuno, Y., Tau accumulation in a patient with pallidonigroluysian atrophy, 89
Motoi, Y., see Mori, H., 89
Murakoshi, T., Song, S.-Y., Konishi, S., Tanabe, T., Multiple G-protein-coupled receptors mediate presynaptic inhibition at single excitatory synapses in the rat visual cortex, 117
Muroya, S., Uramura, K., Sakurai, T., Takigawa, M., Yada, T., Lowering glucose concentrations increases cytosolic Ca^{2+} in orexin neurons of the rat lateral hypothalamus, 165

Nakada, T., see Itoh, K., 41
Nakamura, K., see Yuyama, K., 169
Nakamura, T.J., see Shinohara, K., 37
Nakano, M., see Nozawa, Y., 33
Necchi, D., see Virgili, M., 62
Niederberger, U., see Strenge, H., 105
Nishihara, K., see Nozawa, Y., 33
Nishimura, T., see Jessen, F., 185
Noble, J., see Yau, J.L.W., 141
Nolan, A.M., see Dolan, S., 157

Nozawa, Y., Nishihara, K., Yamamoto, A., Nakano, M., Ajioka, H., Matsuura, N., Distribution and characterization of vanilloid receptors in the rat stomach, 33

Oaknin, S., Rodríguez-Ferrer, C.R., Aguilar, J.S., Ramos, A., Rotllán, P., Receptor binding properties of di (1,N^6-ethenoadenosine) 5′, 5‴-P^1, P^4-tetraphosphate and its modulatory effect on extracellular glutamate levels in rat striatum, 177
Orzi, F., see Conti, G., 161
O'Shea, S., see Kung, A.Y., 202

Papiol, S., see Gutiérrez, B., 135
Parer, J.T., see Fujii, E., 49
Park, C., Kang, M., Kwon, Y.K., Chung, J.-H., Ahn, H., Huh, Y., Inhibition of neuronal nitric oxide synthase enhances cell proliferation in the dentate gyrus of the adrenalectomized rat, 9
Paula-Barbosa, M.M., see Lukoyanov, N.V., 45
Pelaez, B., see San Jose, I., 81
Pinnock, R.D., see Shah, B.S., 1
Prato, F.S., see Thomas, A.W., 17

Ramos, A., see Oaknin, S., 177
Reijmers, L.G.J.E., see Von Frijtag, J.C., 153
Reis, D.J., see Wang, G., 125
Represa, J., see San Jose, I., 81
Repucci, M.A., see Wang, G., 125
Reynolds, G.P., see Reynolds, L.M., 193
Reynolds, L.M., Dalton, C.F., Reynolds, G.P., Phospholipid fatty acids and neurotoxicity in human neuroblastoma SH-SY5Y cells, 193
Ribeiro, J.A., see Correia-de-Sá, P., 101
Rick, C., see Kung, A.Y., 202
Rizvi, G., see Abood, M.E., 197
Robitzki, A., see Keller, M., 21
Rocha, T., see Manjarrez, E., 5
Rodríguez-Ferrer, C.R., see Oaknin, S., 177
Rojas-Piloni, G., see Manjarrez, E., 5
Roman, C., see Fujii, E., 49
Rosa, A., see Gutiérrez, B., 135
Rotllán, P., see Oaknin, S., 177

Sakurai, T., see Muroya, S., 165
Sallapudi, N., see Abood, M.E., 197
San Jose, I., García-Atares, N., Pelaez, B., Cabo, R., Esteban, I., Vega, J.A., Represa, J., Reduction of glial fibrillary acidic protein-immunoreactive astrocytes in some brain areas of old hairless rhino-j mice (*hr*-rh-j), 81
Scherini, E., see Virgili, M., 62
Scholze, P., Sitte, H.H., Singer, E.A., Substantial loss of substrate by diffusion during uptake in HEK-293 cells expressing neurotransmitter transporters, 173
Schrama, L.H., see Von Frijtag, J.C., 153
Seckl, J.R., see Yau, J.L.W., 141
Shah, B.S., Gonzalez, M.I., Bramwell, S., Pinnock, R.D., Lee, K., Dixon, A.K., β3, a novel auxiliary subunit for the voltage gated sodium channel is upregulated in sensory neurones following streptozocin induced diabetic neuropathy in rat, 1
Shimizu, K., see Hayashi, M., 97
Shin, C.M., Chung, Y.H., Kim, M.J., Cha, C.I., Spatial and temporal distribution of pituitary adenylate cyclase activating polypeptide in gerbil global cerebral ischemia, 53
Shinohara, K., Funabashi, T., Nakamura, T.J., Kimura, F., Effects of estrogen and progesterone on the expression of connexin-36 mRNA in the suprachiasmatic nucleus of female rats, 37
Singer, E.A., see Scholze, P., 173
Sitte, H.H., see Scholze, P., 173
Song, S.-Y., see Murakoshi, T., 117
Sora, I., see Yuyama, K., 169
Spruijt, B.M., see Von Frijtag, J.C., 153
Strenge, H., Fritzer, G., Göder, R., Niederberger, U., Gerber, W.-D., Aldenhoff, J., Non-linear electroencephalogram dynamics in patients with spontaneous nocturnal migraine attacks, 105
Strominger, N.L., Hori, N., Carpenter, D.O., Tan, Y., Folger, W.H., Effects of acetylcholine and GABA on neurons in the area postrema of *Suncus murinus* brainstem slices, 77
Suk, K., see Kim, H., 67
Sutcliffe, J.G., see Thomas, E.A., 145
Suzuki, K., see Itoh, K., 41

Takahashi, N., see Fujii, E., 49
Takigawa, M., see Muroya, S., 165
Tan, P.-H., see Wen, Z.-H., 25
Tan, Y., see Strominger, N.L., 77
Tanabe, T., see Murakoshi, T., 117
Tassorelli, C., see Conti, G., 161
Thomas, A.W., White, K.P., Drost, D.J., Cook, C.M., Prato, F.S., A comparison of rheumatoid arthritis and fibromyalgia patients and healthy controls exposed to a pulsed (200 μT) magnetic field: effects on normal standing balance, 17
Thomas, E.A., Foye, P.E., Alvarez, C.E., Usui, H., Sutcliffe, J.G., Insulin receptor substrate protein p53 localization in rats suggests mechanism for specific polyglutamine neurodegeneration, 145
Timóteo, M.A., see Correia-de-Sá, P., 101
Tomida, M., see Kunioku, H., 13
Tsetlin, V.I., see Vulfius, C.A., 189

Uramura, K., see Muroya, S., 165
Usui, H., see Thomas, E.A., 145
Utkin, Y.N., see Vulfius, C.A., 189

van den Bos, R., see Von Frijtag, J.C., 153
Vega, J.A., see San Jose, I., 81
Virgili, M., Necchi, D., Scherini, E., Contestabile, A., Increase of the ornithine decarboxylase/polyamine system and transglutaminase upregulation in the spinal cord of aged rats, 62
Von Frijtag, J.C., Kamal, A., Reijmers, L.G.J.E., Schrama, L.H., van den Bos, R., Spruijt, B.M., Chronic imipramine treatment partially reverses the long-term changes of hippocampal synaptic plasticity in socially stressed rats, 153
Vulfius, C.A., Krasts, I.V., Utkin, Y.N., Tsetlin, V.I., Nicotinic receptors in *Lymnaea stagnalis* neurons are blocked by α-neurotoxins from cobra venoms, 189

Wang, G., Zhou, P., Repucci, M.A., Golanov, E.V., Reis, D.J., Specific actions of cyanide on membrane potential and voltage-gated ion currents in rostral ventrolateral medulla neurons in rat brainstem slices, 125
Wang, M.-R., Kuo, J.-S., Chai, C.-Y., Nitric oxide produces different actions in different areas of the periaqueductal grey in cats, 57
Wen, Z.-H., Wong, C.-S., Lin, C.-R., Chou, A.-K., Tan, P.-H., Chang, Y.-C., Kao, C.-H., Cheng, T.-J., Yang, L.-C., Changes in the levels of nitric oxide synthase and protein kinase C gamma following kainic acid receptor activation in the rat spinal cord, 25
Westenbroek, C., see Fiore, M., 113

White, K.P., see Thomas, A.W., 17
Wong, C.-S., see Wen, Z.-H., 25

Yada, T., see Muroya, S., 165
Yamamoto, A., see Nozawa, Y., 33
Yamamoto, H., see Yuyama, K., 169
Yamamoto, T., see Yuyama, K., 169
Yamamura, A., see Mori, H., 89
Yang, L.-C., see Wen, Z.-H., 25
Yau, J.L.W., Noble, J., Seckl, J.R., Acute restraint stress increases 5-HT7 receptor mRNA expression in the rat hippocampus, 141
Yuyama, K., Yamamoto, H., Nakamura, K., Kato, T., Sora, I., Yamamoto, T., Resistance of PC12 cells against nitric oxide (NO)-induced toxicity in long-term culture: implication of neuronal NO synthase expression, 169

Zhang, T.Y., Jahng, J.W., Kim, D.G., Dextromethorphan increases tyrosine hydroxylase mRNA in the mesencephalon of adolescent rats, 85
Zhou, P., see Wang, G., 125
Zoccarato, F., Cavallini, L., Alexandre, A., Adenosine inhibits glutamate exocytosis largely without interfering with Ca^{2+} influx in rat cerebrocortical synaptosomes, 181
Zocchi, A., see Conti, G., 161
Zupanc, G.K.H, Clint, S.C., Radial glia-mediated up-regulation of somatostatin in the regenerating adult fish brain, 149